

F100 Flexi Full Motion Desk Mount Fits Most Monitors Size:17"~27" Max Load: 4.4~14.3lbs (2~6.5kg) VESA:75 x 75,100 x 100mm

Severe personal injury and property damage can result from improper installation or assembly. Read the following warning carefully before beginning.

• Products must be installed by professional or installer.

• If you do not understand the instructions or have any concerns or questions, please

- contact a qualified local installer.

  Do not install or assemble if the product or hardware is damaged or missing, if you
- require replacement parts, please contact you local distributor for assistance.

  This product fits most 17\*-27" LCD / monitor; maximum weight of LCD / monitor:

- This product fits most 17"-27" LCD / monitor; maximum weight of LCD / monitor: 6.5kg /14.3 lbs.
  Installar-friendly and straight forward.
  For safe installation, the desk you are mounting to must support minimum 3 times the weight of the total load (the mount, the monitor and all accessories weight).
  Do not use this product for other than the original designed.
  This product contain moving parts, please use with caution.
  When installing monitor, please do not damage electrical writing or power source.
  Installation and routing of monitor cables on the monitor bracket must comply with electro-technical regulations.

  Importantly, mains- and data-cables must be secured against twisting and squeezing or
- shearing.

  The manufacturer will bear no responsibility to the desk of mounting, or incidental
- or consequential damages arising thereof.

  The manufacturer disclaims any liability for the modifications, improper installation, or
- installation over the specified weight range. The manufacturer will not be liable for any damages arising out of the use of , or inability to use, the product.
- This product is designed for indoor used only, use of this product outdoor could lead to product failer and severe personal injury.
- ▲ This product contains a high pressure gas spring, fire and percussion prohibited. Also it is strictly prohibited to dismantle without professionals. Please return to the manufacturer or hand over to professional agencies if the product is abandoned. In order to ensure the performance of gas spring, full direction adjustment of the product arm is recommended

We reserve the right to modify or alter instructions. No modification or alteration without formal notice.


ymbols					
	Tightening Direction	C±/	+:Torque increased -:Torque reduced		
(7)	拧紧方向	75	<ul><li>★ 定点恒力加大</li><li>★ 定点恒力减小</li></ul>		
. %	loosening Direction	±/	+ :Torque increased - :Torque reduced		
O	拧松方向	_	<ul><li>★ 定点恒力加大</li><li>★ 定点恒力减小</li></ul>		
W	Phillips Screwdriver		By Hand		
<b>₩</b>	螺丝起子		手工		
W.	Open-End Wrench	70	Hex Wrench		
S	开口扳手		六角扳手		
<u></u>	Adjustment	A	Pencil		
Ŧ	调整		铅笔		
OPT	Optional	<b>A</b>	Hand Drill		
OPT	可选	- All	手电钻		
~	Remove		Star Wrench		
	移开		安全扳手		

# F100

# **Installation Manual**

Install mount at table edge Install mount on desk.

### Part list




$\Theta$		0
(M4x25)-4pcs	(M5x25)-4pcs	(M6x15)-3pcs
D (Φ10xΦ5.2x1.5)-4pcs (Φ8xΦ5x11)-4pcs	E	(10mm)
G	Н	I







### A、Auido & USB lines installation:




### B1, Install mount at table edge:




#### 4001067403 A1 B2、Install mount on desk:




### Full motion after full installation




### C、AV cables and wires routing



### D. Monitor installation




E. Mounting monitor onto mount




F. Setting static position

+: Torque increased, -: Torque reduced.




### G. Setting tilt angle position



### H, Full 360° monitor rotation

Please beware of unbalance displays gravity during displays installation to mount.



## **TENSION ADJUSTMENT** AFTER WALL MOUNT INSTALLATION



Do not adjust tention without putting on TV.

1.Ensure TV has been put onto mount.

- 2.Read your TV packaging or manual to find out TV net
- 3.Ensure TV net weight between 5.5-15.4lbs(2.5-7kg)

# Adjustment sign



Anti-clockwise reduce tension(carry less weight) tension(carry more weight)

clockwise to increase

# Warning!







Add:58, South of Xinxing Road, Economic Development Zone. Kunshan City, Jiangsu Province, China. 215333.

> TEL: 86-512-57971777 FAX: 86-512-57970776

www.nbavmount.com



### 适用于显示器:17"~27" 承重范围:4.4~14.3lbs (2~6.5kg) 适合的VESA孔位: 75 × 75,100 × 100mm

F100

警告! 如果组装或安装不当,这可能导致人员重伤、死亡或财产损毁。请您在组装或安 装前, 先仔细阅读下列警告信息。

- 必須由专业人员交装产品。
   如果您不理解说明或者遇對任何疑问或问题,请与具备资格的当地安装人员联系。
   如果产品或配件变频或缺失,请不要组装或安装。如果您需要备换零件或其他,请

- □ 从小山水底门、火山水水门。 □ 大型水水水。 □ 上产品适用于17°-27°液量显示器等离子屏,最大承重不能超过6.5kg/14.3lbs。
   □ 此产品适用于17°-27°液量显示器等离子屏,最大承重不能超过6.5kg/14.3lbs。
   □ 此产品适用于重面使用,其特点,方便、简洁、易折即。
   〕 为确保安全安装,用于安装产品的桌面能承受相当于总荷载的3倍量面(支架、显示器及
- 無點.IFI/6 除了产品本身设计的用途外请不要将此产品用于其他领域。 此产品设计包含滑动部件,为了安全,请小心使用。 当安装显示器时,请注意电源电线不要被损坏。


- ■3 以表更小品®3,由注意电池电效小类数别小。
   安装和电线校的监控显示是。由实来必须符合电技术法规。
   重要的是、电源和数据电缆必须设有防扭曲和压缩波剪切。
   ୮商不对由于不负重荷或最少选成准面的损坏负责。
   厂商在此声明对于以下情况所造成的规数或损伤不承担任何法律责任:对产品自行改 造,或安装不当,或安装超过此产品所注明的最大承重,或使用不当,或因使用而造成此产
- ▲ 本产品内含高压气弹簧,因此在安装、使用过程中严禁火烤和敲击,没有专业人士的情况下,严禁私自拆解! 若产品报废请寄回原厂或交于专业机构处理,为保证气弹簧 的性能,建议您对本产品的手臂每月进行多次的全行程调节。

修改和变更的权利属于我公司,在没有我公司正式通知时,请不要修改和变更安装说明。


### 说明

מני			
	Tightening Direction	Ct/	+ :Torque increased - :Torque reduced
(7)	拧紧方向	<b>7</b> 5	<ul><li>★ 定点恒力加大</li><li>★ 定点恒力减小</li></ul>
17	loosening Direction	±4/	+:Torque increased -:Torque reduced
O	拧松方向	/-	<ul><li>★ 定点恒力加大</li><li>★ 定点恒力减小</li></ul>
W	Phillips Screwdriver		By Hand
<b>(4)</b>	螺丝起子		手工
W)	Open-End Wrench		Hex Wrench
B	开口扳手		六角扳手
<u></u>	Adjustment		Pencil
Ŧ	调整		铅笔
ODT	Optional	A	Hand Drill
OPT	可选		手电钻
<b>V</b>	Remove	7	Star Wrench
	移开	ا ق	安全扳手







### A、音频线和USB线的安装方式:




### B1、桌边孔安装方式:




### B2、桌面孔安装方式:







### 组装后整体支架可调范围




### C、视听电线绕道管理




### D、安装显示器



### E、挂显示器到支架上



F、支架恒力定点调节 +:将恒力加大, -:将恒力减小。




情况1:当您的显示器挂上支架后,显示器可在任意高度悬停,

情况2:当您的显示器挂上支架后,显示器自动弹起时。(请确 保显示器重量在承重范围内)这时请用手将显示器压下,使支 架手臂呈现水平状态,然后使用我司配送的螺丝包中的5mm 扳手H向"-"号方向调节至显示器可在任意高度悬停。


情况3:当您的显示器挂上支架后,显示器自动落下时。(请确 保显示器重量在承重范围内)这时请用手将显示器向上抬起, 使支架手臂呈现水平状态, 然后使用我司配送的螺丝包中的 5mm扳手H向"+"号方向调节至显示器可在任意高度悬停。

### G、显示器倾斜角度定点调节



情况2: 当显示器上下倾仰角无法定住时。 请打开转头盖,用六角开口扳手锁紧螺母,直到显 示器可以定住为止。

### H、显示器可旋转角度



# 安装后的恒力调试



一定要把电视机安装好后再调试恒力

1.确保电视机已安装到支架上。

2.确保电视机的净重。



减小恒力(失重状态下) 增大恒力(超重状态下)





NORTH BAYOU

www.nbavmount.com

昆山泓杰电子有限公司 地址: 中国江苏省昆山市经济技术 开发区新星南路58号 邮编: 215333

TEL: 86-512-57971777 FAX: 86-512-57970776